

## ND.2 Mazda MX-5 Cup - AiM Configurations

# Mazda MX-5 Cup cars include the AiM MXSv2 (-2023 AiM MXL2)

Data Configuration files for the AiM system can be selected and downloaded from list below.

The file you need is dependent on the particular AiM Dash and sensors you have added to your car. We highly recommend "Receiving" your current configuration from your dash for your records and to verify which sensors are selected in the channels.

Once the new configuration has been imported into RaceStudio3, we suggest "Cloning" it and making any new changes to the cloned configuration.

<u>NOTE:</u> Always update the RaceStudio3 software prior to updating configuration files. This will ensure the latest ECU drivers are being used. Always update the AiM Dash Firmware through Racestudio3 software prior to loading configurations to ensure full functionality.

The latest Racestudio3 software and can be downloaded at:



# **AiM MXSv2 Configurations:**



## Configuration files for use with ND2 Bosch MS6 ECU Release 0111:

## Flis MXSv2 - 2023-12-17 - Base Configuration - SADEV

(Standard Flis Performance functions and alerts configuration with the following Sensors: Diff temp, Trans Temp, Oil Temp, Oil Pressure, Low Fuel Pressure and Water Pressure)

NOTE: Please choose which sensors your vehicle has in the Channels tab.

## **AiM MXL2 Configurations:**



### Configuration files for use with ND2 Bosch MS6 ECU Release 0111:

#### Flis MXL2 - 2023-07-20 - Base Configuration - SADEV

(Standard Flis Performance functions and alerts configuration with the following Sensors: Diff temp, Trans Temp, Oil Temp, Oil Pressure, Low Fuel Pressure and Water Pressure)

NOTE: Please choose which sensors your vehicle has in the Channels tab.

#### **Dash Shift Lights & Alarms:**

2023 Flis Performance AiM Dash Display
2023 Flis Performance AiM LED & Shift Light

(Shift Lights, Alarm LEDs, Pit Speed LEDs, and AiM Control)

## Flis MXL2 - 2023-07-20 - Base Configuration - H-Pattern

(Standard Flis Performance functions and alerts configuration with the following Sensors: Diff temp, Trans Temp, Oil Temp, Oil Pressure, Low Fuel Pressure and Water Pressure)

NOTE: Please choose which sensors your vehicle has in the Channels tab.

## **SmartyCam 3 Corsa**



## **SmartyCam3 Corsa Configuration:**

MX-5C 2024 SmartyCam3 Corsa Configuration

NOTE: SmartyCam3's are formatted differently than SmartyCam's. You can not take an SD card from one camera to another without reformatting the SD Card.

# **SmartyCam**



## **SmartyCam Configuration:**

MX-5C 2023 SmartyCam Configuration

#### **Additional Information:**

For further information regarding AiM Dash Configurations, please contact Ashli Richardson with Flis Performance at the information below.

# Ashli Richardson



- **L** 386-256-7021
- ASHLI@FLISPERFORMANCE.COM
- ₩WW.FLISPERFORMANCE.COM
- Q 106 ANITA AVE DAYTONA BEACH, FL 32114



MAZDA MOTORSPORTS HERITAGE COLLECTION









